

PORCELAIN · SANDSTONE · LIMESTONE · GRANITE · BLOCK PAVING

The Paving Collection

Our best-selling patio and driveway ranges, with sizes and specifications.

pavinguk.co.uk

WELCOME

Paving for every garden

Paving UK is a family-run business specialising in paving, from porcelain to natural Indian stone. Whatever the project, budget or style, there's a range to suit, and you can order a sample to see and feel each stone in your own garden before you buy.

This brochure brings together our most popular ranges. Every range is on our website with full pack options, live stock and delivery dates for your postcode.

Full and split packs
Buy a full pack, or a split pack on selected ranges

Samples
Order a sample of any range online

Nationwide delivery
Delivery dates and charges shown for your postcode

Trade accounts
Account pricing for landscapers and builders


CHOOSING YOUR MATERIAL

Which paving is right for you?

	LOOK	TYPICAL THICKNESS	UPKEEP
Porcelain	Modern, consistent colour; stone, slate and tumbled effects	20mm (some 16mm)	Lowest: non-porous, resists staining and algae
Indian sandstone	Natural colour variation; riven or smooth	20–22mm	Natural stone that weathers and gains character
Limestone	Dense, refined; sawn or tumbled edges	22–25mm	A sealer can enrich darker tones
Granite	Hard-wearing, textured surface	20mm slabs, 50mm setts	Very durable in high-traffic areas
Block paving	Driveways and paths; granite-effect and tegula	50–60mm	Practical, value for driveways


The +10% rule. We recommend ordering an extra 10% to allow for cuts, handling and any breakages, in line with industry standards.












Porcelain paving

Low maintenance, consistent and hard-wearing, with an R11 slip rating across our 20mm ranges.

Porcelain paving

Our most popular porcelain colours, all vitrified for strength and easy cleaning.




TEXTURED PORCELAIN

Kandla Grey

Light to mid-grey tones with a natural stone look; also available in a smooth finish.

Colour	Light grey / medium tones
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600 · 1200×600 · Mixed size · Steps · Edging




PORCELAIN

Anthracite Black

Deep dark grey for a clean, sharp contemporary look.

Colour	Dark grey / anthracite
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600 · 600×600 · 1200×600 · Mixed size · Edging · Steps




PORCELAIN

Ivory Beige

Light beige tones that brighten patios and suit planting and timber.

Colour	Light beige
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600 · 600×600 · Mixed size · Edging



PORCELAIN

Copper Slate

Rich copper and brown tones inspired by natural slate.

Colour	Copper and brown tones
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600 · Mixed size · Steps · Edging

Porcelain paving

Earthy, grey and white tones in large-format slabs.




PORCELAIN

Raj Green

The warm buff and earthy look of Raj Green sandstone, in low-maintenance porcelain.

Colour	Buff brown / earthy tones
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600 · Mixed size · Coping, edging & steps




PORCELAIN

Hammer Grey

Light to medium grey with a subtle textured finish.

Colour	Light to medium grey
Thickness	20mm (also 16mm)
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600 · 600×600 · Steps




PORCELAIN

Everest Grey Pearl

Clean light grey to white with a smooth, modern finish.

Colour	Light grey / white
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600



PORCELAIN

Quartz White


A crisp white finish that lifts contemporary gardens.

Colour	White
Thickness	20mm (also 16mm)
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600

Porcelain paving

Linear, slate-effect and tumbled-edge porcelain.




PORCELAIN

Allestone Bone

Warm off-white in a long, linear 1200×600 format.

Colour	Warm white / beige
Thickness	20mm
Slip rating	R11
Full pack	30 slabs, 22m²

Sizes 1200×600



PORCELAIN

Brazilian Black Slate

Dark grey to black with a natural slate-effect surface.

Colour	Dark grey / black
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600



PREMIUM AGED TUMBLED PORCELAIN

Taxos Sand

Warm sandy tones and tumbled edges for a traditional, hand-cut stone look.

Colour	Sand
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600




TUMBLED PORCELAIN

Heritage Pearl

Soft pearl tones with a gently aged, tumbled edge.

Colour	Pearl
Thickness	20mm
Slip rating	R11
Full pack	40 slabs, 22.3m²

Sizes 900×600



Indian sandstone

Natural stone with unique colour variation in every slab, in riven and smooth finishes.

Indian sandstone

Riven sandstone has a textured surface that improves grip underfoot; smooth sandstone gives a refined, honed look.



RIVEN INDIAN SANDSTONE

Kandla Grey

Our best-selling stone: soft to medium greys with a natural riven texture. Also in smooth.

Colour	Grey
Thickness	20mm
Slip rating	R11
Full pack	33 slabs, 18.5m²

Sizes 900×600 · 600×600 · 600×290 · Mixed size · Cobbles · Coping




SMOOTH INDIAN SANDSTONE

Mint Ivory

Warm white and soft yellow tones with a smooth, honed surface.

Colour	Warm white / yellow tones
Thickness	20mm
Full pack	35 slabs, 19.5m²

Sizes 900×600 · Mixed size · Cobbles · Steps




RIVEN INDIAN SANDSTONE

Raj Green

A blend of earthy buffs, browns and cool greys. Also in smooth.

Colour	Buff brown / earthy tones
Thickness	22mm
Full pack	33 slabs, 18.5m²

Sizes 900×600 · 600×290 · Mixed size · Cobbles · Coping



RIVEN INDIAN SANDSTONE

Rippon Buff


Warm buff and earthy tones with natural veining. Also in smooth.

Colour	Warm buff / earthy tones
Thickness	20mm
Full pack	33 slabs, 18.5m²

Sizes 900×600 · Mixed size

Indian sandstone

Mixed size patio packs combine four slab sizes for a traditional random layout.




RIVEN INDIAN SANDSTONE

Fossil Mint

Warm buff tones with natural variation, in a four-size patio pack.

Colour	Warm buff / earthy tones
Thickness	20mm
Full pack	65 slabs, 19.52m²

Sizes Mixed size · Cobbles




SMOOTH INDIAN SANDSTONE

Rainbow

Bold veining in red, orange and purple; every slab is unique.

Colour	Orange / purple tones
Thickness	22mm
Full pack	37 slabs, 20.5m²

Sizes 900×600 · Mixed size



RIVEN INDIAN SANDSTONE

Autumn Brown

Brown and earthy tones with plenty of riven texture.

Colour	Brown / earthy tones
Thickness	20mm
Full pack	65 slabs, 19.52m²

Sizes Mixed size

NATURAL STONE

Limestone

Dense, refined natural stone with sawn or tumbled edges for patios and paths.



LIMESTONE

Black Limestone

Dark grey to black; a suitable sealer deepens the tone.

Colour	Dark grey / black
Thickness	22mm
Full pack	30 slabs, 17m²

Sizes 900×600 · 600×600 · 600×290 · Mixed size · Steps · Cobbles




SAWN EDGE LIMESTONE

Grey Limestone

Natural grey with crisp sawn edges for defined lines.

Colour	Grey
Thickness	22mm
Full pack	52 slabs, 16.5m²

Sizes Mixed size · 900×600 · Herringbone setts




BRUSH TUMBLED LIMESTONE

Kota Blue

Blue and grey tones with a softly textured, tumbled finish.

Colour	Blue / grey hues
Thickness	22mm
Full pack	32 slabs, 18m²

Sizes 900×600



BRUSH TUMBLED LIMESTONE

Yellow Limestone

Soft to medium beige and yellow tones with understated elegance.


Colour	Beige / yellow hues
Thickness	25mm
Full pack	44 slabs (four sizes)

Sizes Mixed size · 900×600

NATURAL STONE

Granite

Hard-wearing granite slabs, steps and setts for high-traffic areas.




GRANITE

Silver Grey Granite

Pale silver and grey with a textured surface and machine-cut edges.

Colour	Silver
Thickness	20mm
Full pack	32 slabs, 18m²

Sizes 900×600 · Mixed size · Cobble setts



GRANITE STEPS AND SETTS

Black Granite

Deep black granite for strong contrast; bullnose steps and sawn setts.

Colour	Black
Thickness	30mm steps · 50mm setts
Full pack	Sold by the step / pack

Sizes 900×450 steps · 200×100 · 100×100 setts




SAWN EDGE GRANITE

Silver Grey Granite Setts

Hard-wearing granite for detailed laying patterns and heavy use.

Colour	Silver
Thickness	50mm

Sizes 100×100 · 200×100



SAWN EDGE GRANITE

Black Granite Setts

Deep black, 50mm setts for high-traffic areas.

Colour	Black
Thickness	50mm

Sizes 200×100 · 100×100

Block paving

Granite-effect concrete blocks: the look of natural granite with the practicality and value of concrete.



GRANITE-EFFECT BLOCK PAVING

Black Corrib

Deep black granite look with the value of concrete.

Colour	Black
Thickness	50mm
Full pack	224 blocks, 8m²

Sizes 210×170




GRANITE-EFFECT BLOCK PAVING

Silver Corrib

Silver and black tones for modern driveways.

Colour	Silver / black
Thickness	50mm
Full pack	224 blocks, 8m²

Sizes 210×170



GRANITE-EFFECT BLOCK PAVING

Newgrange Silver

Silver and grey in a three-size mix for added detail.


Colour	Silver
Thickness	50mm
Full pack	8.64m² pack

Sizes 240×160 · 160×160 · 120×160

Block paving thickness is a guideline. Check the product page for full pack details.

Block paving and concrete

Tegula and linear blocks for driveways and borders, plus practical concrete slabs.



TEGULA BLOCK PAVING

Mellifont Charcoal Raven

Charcoal tones with a lightly aged finish; hides everyday marks.

Colour	Charcoal
Thickness	50mm
Full pack	Mixed size pack

Sizes 240×160 · 160×160 · 120×160




LINEAR BLOCK PAVING

Inish Charcoal

Slim linear blocks for paths, driveways, borders and edging.

Colour	Charcoal
Thickness	60mm
Full pack	See website

Sizes 200×50



RIVEN CONCRETE SLABS

Homepave Buff

A practical, durable slab for utility areas and paths.

Colour	Buff / beige
Thickness	35mm
Full pack	26 slabs, 9.36m²


Sizes 600×600

Block paving thickness is a guideline. Check the product page for full pack details.

SETTS AND COBBLES

Cobble setts

For driveways, edging, borders and feature detail. Pair them with the matching paving.



RIVEN SANDSTONE

Raj Green Setts

Buff, brown, green and grey variation for drives, paths and borders.

Colour	Buff brown / earthy
Thickness	40–60mm

Sizes 200×100 · 100×100




LIMESTONE

Black Limestone Setts

Dark grey setts that turn deeper black with a limestone sealer.

Colour	Dark grey / black
Thickness	40–60mm

Sizes 100×100 · 200×100




NATURAL SANDSTONE

Fossil Mint Setts

Warm cream and buff tones for a traditional finish.

Colour	Cream / buff
Thickness	40–60mm

Sizes 100×100 · 200×100



TUMBLED LIMESTONE

Grey Limestone Herringbone

A structured herringbone layout for patios, paths and drives.


Colour	Grey
Thickness	40mm

Sizes 200×50

FINISHING TOUCHES

Steps, coping and edging

Matching pieces to finish steps, walls and borders.



ANTHRACITE BLACK, IVORY BEIGE AND MORE

Porcelain Edging Strips

Frame a patio or path with a contrasting border.

Thickness	20mm
Slip rating	R11

Sizes 900×150 · 900×200



MATCHED TO OUR PORCELAIN RANGES

Porcelain Bullnose Steps

A smooth, rounded front edge for steps and level changes.

Thickness	20mm
Slip rating	R11

Sizes 900×450




KANDLA GREY, RAJ GREEN, BLACK LIMESTONE

Handcut Sandstone Coping

Coping, edging and steps in one versatile 40mm piece.

Thickness	40mm

Sizes 900×300 · 900×150



MINT IVORY, BLACK LIMESTONE, KANDLA GREY

Natural Stone Steps

Solid 30mm steps to match your paving.

Thickness	30mm

Sizes 900×450

INSTALLATION ESSENTIALS

Lay it right

Our most popular installation products. You'll find the full range, including sealers and tools, on our website.



Premprime Slurry Primer 17kg

Bonds porcelain (and stone) to the bed and helps stop "picture frame" staining.



Pointfix Resin Jointing 20kg

Two-part resin compound for jointing paving, stone and concrete; mix only what you need.



ProJoint RapidFlow Grout 12.5kg


Brush-in grout made for porcelain, and fine with natural stone too.

HOW TO ORDER

From idea to delivery

1. **Measure your area** and use the patio calculator on our website, adding 10% for cuts.
2. **Order a sample** to check colour and texture in your own garden.
3. **Choose your packs.** Each range page shows its full and split pack options and live stock.
4. **Enter your postcode** to see delivery dates and charges, and check vehicle access.
5. **Report any breakage** online within 28 days of delivery, with your order number and photos.

Vehicle access. Deliveries are kerbside by tail-lift and pump truck, usually on a 24-tonne vehicle. If your road is narrow or restricted, choose the smaller 7.5-tonne option at checkout.



Ready to start your project?

pavinguk.co.uk

Call **01782 355170**
Monday to Friday, 9am to 5pm

Product colours and surface texture may vary, and natural stone varies from slab to slab. Specifications are correct at the time of writing; see each product page for the latest details, stock and prices.